

# SAFETY DATA SHEET All Purpose Cleaner

Specializing in Professional Automotive/Marine Appearance and Reconditioning Products

## **SECTION 1 - PRODUCT AND COMPANY IDENTIFICATION**

1.1 Product identifier

Product Name: All Purpose Cleaner Product Codes(s): APC-1, APC-5, APC-55 Synonyms: Aqueous mixture

**REACH Registration Number:** No data available at this time.

1.2 Relevant identified uses of the substance or mixture and uses advised against General Use: All purpose cleaner

Uses advised against: None known

### 1.3 Details of the supplier and of the safety data sheet

Manufacturer/Distributor Car Kem Products, Inc. 4275 St. Johns Parkway Sanford, FL 32771 USA +1-407-323-5626; +1-800-423-3168 (toll free)

#### 1.4 Emergency telephone number: +1-800-424-9300 CHEMTREC

### **SECTION 2 - HAZARDS IDENTIFICATION**

2.1 Classification of substance or mixture Product definition: Mixture Classification (REGULATION (EC) No 1272/2008) Skin Irritant - Category 2 [H315] Eye Irritant - Category 2B [H320]

2.2 Label Elements Labeling (REGULATION (EC) No 1272/2008)

Hazard Symbol(s): GHS07 Signal Word: Warning H315 - Causes skin irritation Hazard Statement(s): H320 - Causes eye irritation **Precautionary Statements:** [Prevention] P264 - Wash hands or other skin areas contacting this product thoroughly after handling. P280 - Wear protective gloves and eye protection. P261 - Avoid breathing mist and spray. P302 + P352 - IF ON SKIN: Wash with plenty of soap and water. [Response] P321 - Specific treatment: Refer to Section 4 of this SDS and seek medical attention. P332 + P313 - If skin irritation occurs: Get medical attention. P362 - Take off contaminated clothing and wash before reuse. P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337 + P313 - If eye irritation persists: Get medical attention.

### **SECTION 3 - COMPOSITION/INFORMATION ON INGREDIENTS**

### 3.1 Substances

Not applicable

### 3.2 Mixtures

Chemical characterization (preparation)

| % by Weight | Ingredient                   | CAS Number | EC Number | Index Number | EC Classification |
|-------------|------------------------------|------------|-----------|--------------|-------------------|
| <10         | 2-Butoxyethanol              | 111-76-2   | 203-905-0 | 603-014-00-0 | Xn, R22           |
| <8          | Dodecylbenzenesulfonic Acid  | 27176-87-0 | 248-289-4 |              |                   |
| <6          | Tetrapotassium Pyrophosphate | 7320-34-5  | 230-785-7 |              | Xn, R36/38        |
| <3          | Potassium Hydroxide          | 1310-58-3  | 215-181-3 | 019-002-00-8 | Xi, R36/38        |
| <3          | Silicic Acid, Disodium Salt  | 6834-92-0  | 229-912-9 | 014-010-00-8 | C, R34; Xi, R37   |

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to the health or the environment and hence require reporting in this section.

### **SECTION 4 - FIRST AID MEASURES**

#### 4.1 Description of first aid measures

**Inhalation:** If product mist or spray causes respiratory irritation or distress, move the exposed person to fresh air immediately. If breathing is difficult or irregular, administer oxygen; if respiratory arrest occurs, start artificial respiration by trained personnel. Get medical attention. Loosen tight fitting clothing such as a collar, tie, belt or waistband. If symptoms persist, seek medical attention immediately.

**Eyes:** Immediately flush eyes with large amounts of water for 15 minutes, occasionally lifting upper and lower lids. Remove contact lenses, if present and easy to do, after the first 2 minutes and continue rinsing. Obtain immediate medical attention, preferably from an ophthalmologist.

Skin: Flush skin with large amounts of water while removing contaminated clothing. Wash affected area with soap and water. Wash contaminated clothing and shoes thoroughly before reuse. Seek prompt medical attention if irritation persists, if rash develops or if you feel unwell.

**Ingestion:** Rinse mouth with water if victim is conscious. Remove dentures, if present. If conscious and alert give victim 2 - 3 cupfuls of milk or water to drink. Do not induce vomiting unless directed to do so by medical personnel. Do not leave victim unattended. To prevent aspiration of swallowed product, lay victim on one side with the head lower than the waist. Vomiting may occur spontaneously. If vomiting occurs and the the victim conscious, give water to further dilute material. Never give anything by mouth to an unconscious person. Get medical attention immediately.

#### 4.2 Most important symptoms and effects, both acute and delayed

#### Potential health symptoms and effects

**Eyes:** Causes moderate to severe eye irritation. Mist or spray can cause eye irritation. Symptoms include redness, stinging, tearing and swelling. **Skin:** May cause mild to moderate skin irritation. Prolonged skin contact can cause redness, drying and cracking of skin.

Inhalation: Inhalation of mist or spray may cause irritation of the upper respiratory tract.

Ingestion: May be harmful if swallowed. May cause gastrointestinal irritation with nausea, vomiting, abdominal cramps and diarrhea.

**Chronic:** Pre-existing disorders of the skin and respiratory system may be aggravated by exposure to this product. Chronic skin exposure may result in drying or defatting of skin and dermatitis. 2-Butoxyethanol is a known animal carcinogen (refer to Section 11.2).

## **SECTION 5 - FIRE FIGHTING MEASURES**

#### 5.1 Extinguishable media

Suitable methods of extinction: Use extinguishing media suitable for surrounding fire.

### Unsuitable methods of extinction: None known 5.2 Special hazards arising from the substance or mixture

Closed containers may explode due to the build-up of pressure when exposed to extreme heat. During emergency conditions overexposure to decomposition products may cause a health hazard. Symptoms may not be immediately apparent. Obtain medical attention.

#### 5.3 Advice for firefighters

Full protective equipment including self-contained breathing apparatus should be used. Water may be used to cool closed containers to prevent pressure build-up and possible autoignition or explosion when exposed to extreme heat. If possible, firefighters should control run-off water to prevent environmental contamination.

### SECTION 6 - ACCIDENTAL RELEASE MEASURES

#### 6.1 Personal precautions, protective equipment and emergency procedures

Wear appropriate protective clothing designated in Section 8. Ventilate the area.

#### 6.2 Environmental precautions

Avoid dispersal of spilled material or run-off and prevent contact with soil and entry into drains, sewers or waterways.

### 6.3 Methods and materials for containment and cleaning up

Cover drains and contain spill. Cover with a large quantity of inert absorbent. Do not use combustible materials such as saw dust. Shovel or sweep up product and place into approved container for proper disposal. Clean contaminated area using a detergent/soap solution or another biodegradable cleaner and water. Do not rinse spilled product down the drain.

### 6.4 Reference to other sections

For indications about waste treatment, see Section 13.

## **SECTION 7 - HANDLING AND STORAGE**

#### 7.1 Precautions for safe handling

Avoid contact with eyes, skin and clothing. Wear all appropriate personal protective equipment specified in Section 8. If normal use presents a respiratory hazard, use only adequate ventilation or wear an appropriate respirator.

### Advice on protection against fire and explosion

Keep away from heat, sparks and flame. Solutions containing glycol ethers in water can form flammable vapors with air if heated sufficiently.

#### 7.2 Conditions for safe storage, including any incompatibilities

Store in a dry, cool and well-ventilated area, away from incompatible materials, food and drink. Keep from freezing. Transfer only to approved containers having correct labeling. Protect containers against physical damage. Keep containers tightly closed when not in use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not reuse empty containers as they may retain product residues. Ventilate closed areas. Do not take internally. Keep out of reach of children.

#### 7.3 Specific end uses

Apart from the uses mentioned in Section 1.2, no other specific uses are stipulated.

## **SECTION 8 - EXPOSURE CONTROLS / PERSONAL PROTECTION**

#### 8.1 Control parameters

| CAS Number | Ingredient          | OSHA PEL - TWA             | ACGIH TLV                                       | NIOSH            |
|------------|---------------------|----------------------------|---|------------------|
| 111-76-2   | 2-Butoxyethanol     | 50 ppm; 240 mg/m3          | 50 ppm TWA;<br>100 mg/m3 ceiling (aerosol only) | 700 ppm          |
| 1310-58-3  | Potassium Hydroxide | 2 mg/m3, Ceiling (vacated) | 2 mg/m3, Ceiling                                | 2 mg/m3, Ceiling |

#### 8.2 Exposure controls

Engineering Measures: Technical measures and appropriate working operations should be given priority over the use of personal protective equipment. Use adequate ventilation. Local exhaust is preferable. Refer to See Section 7.1.

Individual protection measures: Wear protective clothing to prevent repeated or prolonged contact with product. Protective clothing needs to be selected specifically for the workplace, depending on concentrations and quantities of hazardous substances handled. The chemical resistance of the protective equipment should be enquired at the representative supplier.

**Hygiene measures:** Facilities storing or using this material should be equipped with an eyewash station and safety shower. Change contaminated clothing. Preventive skin protection is recommended. Wash hands thoroughly after use, before eating, drinking or using the lavatory.

Eye/face protection: Wear protective goggles or safety glasses with unperforated side shields during use. Refer to 29 CFR 1910.133, ANSI Z87.1 or European Standard EN 166.

Hand Protection: Wear rubber gloves or gloves recommended by glove supplier for protection against materials in Section 3. Gloves should be impermeable to chemicals and oil. Breakthrough time of selected gloves must be greater than the intended use period.

Other protective equipment: Protective clothing. Protective boots, if the situation requires.

Respiratory Protection: None required with normal use. Always use an approved respirator when vapor/aerosols are generated. Where risk assessment shows air-purifying respirators are appropriate use a full-faced respirator with multi-purpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).
 Environmental exposure controls: Do not empty into drains.

#### **SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES**

#### 9.1 Information on basic physical and chemical properties

| Appearance                             | Clear, blue liquid |
|--|--------------------|
| Odor                                   | Mild               |
| Odor Threshold                         | Not determined     |
| Molecular Weight                       | Not applicable     |
| Chemical Formula                       | Not applicable     |
| рН                                     | 11.5 - 12.5        |
| Freezing/Melting Point                 | <0 °C (<32 °F)     |
| Initial Boiling Point                  | 100 °C (212 °F)    |
| Evaporation Rate                       | <1 (n-BuOAc = 1)   |
| Flammability (solid, gas)              | Not applicable     |
| Flash Point                            | Not determined     |
| Autoignition Temperature               | Not determined     |
| Decomposition Temperature              | Not determined     |
| Lower Explosive Limit (LEL)            | Not determined     |
| Upper Explosive Limit (UEL)            | Not determined     |
| Vapor Pressure                         | Not determined     |
| Vapor Density                          | >1 (Air = 1)       |
| Specific Gravity                       | 1.00               |
| Viscosity                              | Not determined     |
| Solubility in Water                    | Complete           |
| Partition Coefficient: n-octanol/water | Not determined     |
| Volatiles by Volume @ 70 °F            | >80%               |
|  |                    |

#### 9.2 Other data

No data available

## **SECTION 10 - STABILITY AND REACTIVITY**

#### 10.1 Reactivity

No special reactivity has been reported.

### 10.2 Chemical stability

#### Stable under recommended storage conditions.

### 10.3 Possibility of hazardous reactions

None known

Hazardous polymerization will not occur.

### 10.4 Conditions to avoid

Extreme temperatures. Contact with incompatible materials.


#### 10.5 Incompatible materials

Strong oxidizing agents, acids, bases

#### **10.6 Hazardous decomposition products**

Thermal decomposition products include oxides of carbon, oxides of potassium oxides, oxides of phosphorus oxides, sodium oxides.

### **SECTION 11 - TOXICOLOGICAL INFORMATION**



#### 11.2 Further information

**Chronic Effects:** 2-Butoxyethanol (CAS #111-76-2): IARC, Group 3 carcinogen - Not classifiable as to its carcinogenicity to humans. ACGIH, A3 Carcinogen - Confirmed animal carcinogen with unknown relevance to humans. Not listed as a carcinogen by NTP or OSHA.

The remaining components in this product are not listed as carcinogens by ACGIH, IARC, NTP or OSHA. No data is available regarding the mutagenicity or teratogenicity of this product, nor is there any available data that indicates that it causes adverse developmental or fertility effects.

Handle in accordance with good industrial hygiene and safety practice.

### **SECTION 12 - ECOLOGICAL INFORMATION**

#### 12.1 Toxicity

Product contains 2-Butoxyethanol, which is harmful to algae or higher aquatic plants.

Potassium hydroxide is slightly toxic to aquatic organisms on an acute basis. Large discharges to the environment may increase the pH of aquatic systems to a pH >10, which may be fatal to aquatic life and soil micro-organisms.

#### 12.2 Persistence and degradability

The biodegradability of this product has not been evaluated. While the alkalinity of this product is readily reduced in natural waters, the resulting phosphate may persist indefinitely or incorporate into biological systems.

#### 12.3 Bioaccumulation potential

Material is not expected to bioaccumulate.

#### 12.4 Mobility

The components in this product are water soluble and highly mobile in soil.

### 12.5 Results of PBT and vPvB assessment

No data available

### 12.6 Other adverse effects

### Additional ecological information

Product may be harmful to the environment if released in large quantities.

Do not allow material to run into surface waters, wastewater or soil.

### **SECTION 13 - DISPOSAL CONSIDERATIONS**

#### 13.1 Waste treatment methods

Methods of disposal: The generation of waste should be avoided or minimized whenever possible. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe way. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers.

Hazardous waste: The classification of this product may meet the criteria for a hazardous waste.

### **SECTION 14 - TRANSPORT INFORMATION**

**Note:** Transportation information provided is for reference only. Customer is urged to consult 49 CFR 100 - 177, IMDG, IATA, EC, United Nations TDG and WHMIS (Canada) TDG information manuals for detailed regulations and exceptions covering specific container sizes, packaging materials and methods of shipping.

#### This material is not regulated for transport.

### **SECTION 15 - REGULATORY INFORMATION**

15.1 Safety, health and environmental regulations/legislation specific for substance or mixture

#### U. S. Federal Regulations

OSHA Hazard Communication Standard: This material is classified as hazardous in accordance with OSHA 29 CFR 1910-1200. OSHA Process Safety Management Standard: Components of this product are not regulated under OSHA PSM Standard 29 CFR 1910.119. EPA Risk Management Planning Standard: Components of this product are not regulated under EPA RMP Standard (RMP) 40 CFR Part 68. TSCA Status: All components of this product are listed on the Toxic Substance Control Act (TSCA) Inventory.

## Superfund Amendments and Reauthorization Act (SARA)

SARA Section 311/312 Hazard Categories: Acute Health Hazard

SARA 313 Information: None of the chemicals in this product exceed the threshold (de minimis) reporting levels established by Section 313 of the Emergency Planning and Community Right-to Know Act of 1986.

#### SARA 302/304 Extremely Hazardous Substance

No components of the product exceed the threshold (de minimis) reporting levels established by of these sections of Title III of SARA.

### SARA 302/304 Emergency Planning & Notification

No components of the product exceed the threshold (de minimis) reporting levels established by of these sections of Title III of SARA. **Comprehensive Response Compensation and Liability Act (CERCLA):** This product contains the following CERCLA reportable substances: Dodecylbenzenesulfonic Acid (CAS #27176-87-0), RQ - 454 kg (1,000 lbs)

Potassium Hydroxide (CAS #1310-58-3), RQ - 454 kg (1,000 lbs)

#### Clean Air Act (CAA)

This product does not contain any chemicals that are listed as Hazardous Air Pollutants (HAPs) designated in CAA Section 112 (b). This product does not contain any Class 1 Ozone depletors.

This product does not contain any Class 2 Ozone depletors.

#### Clean Water Act (CWA)

Potassium Hydroxide and Sodium Tripolyphosphate, Anhydrous are listed as Hazardous Substances under the CWA. None of the chemicals in this product are listed as Priority Pollutants under the CWA. None of the chemicals in this product are listed as Toxic Pollutants under the CWA.

#### **U.S. State Regulations**

#### California Prop 65, Safe Drinking Water and Toxic Enforcement Act of 1986

This product contains no chemical(s) known to the state of California to cause cancer or other reproductive harm.

#### Other U.S. State Inventories

Dodecylbenzenesulfonic acid (CAS #27176-87-0) is listed on the following State Hazardous Substance Inventories, Right-to-Know lists and/or Air Quality/Air Pollutants lists: CA, DE, MA, NJ, NY, PA

2-Butoxyethanol (CAS #111-76-2) is listed on the following State Hazardous Substance Inventories, Right-to-Know lists and/or Air Quality/ Air Pollutants lists: CA, ID, MA, MN, NJ, PA, WA, WI.

Potassium Hydroxide (CAS #1310-548-3) is listed on the following State Hazardous Substance Inventories, Right-to-Know lists and/or Air Quality/Air Pollutants lists: CA, DE, ID, MA, NJ, NY, PA, WA, WI.

#### Canada

#### WHMIS Hazard Symbol and Classification:



D2B - Eye irritation - Skin irritation - Toxic material causing other toxic effects

Canadian Controlled Products Regulations (CPR): This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations, and the SDS contains all the information required by the Controlled Products Regulations.

Canadian Ingredient Disclosure List (IDL): Dodecylbenzenesulfonic Acid, 2-Butoxyethanol and Potassium Hydroxide are listed on the IDL. Canadian National Pollutant Release Inventory (NPRI): 2-Butoxyethanol is listed on the NPRI.

**European Economic Community** 

Labeling (67/548/EEC or 1999/45/EC)



Xi - Irritant

**Risk Phrases:** R36/38 - Irritating to eyes and skin.

 Safety Phrases:
 S2 - Keep out of the reach of children.

 S26 - In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

 S37/39 - Wear suitable gloves and eye protection.

WGK, Germany (Water danger/protection): 2

#### **Global Chemical Inventory Lists**

| Country        | Inventory Name   | Inventory Listing* |
|----------------|--|--------------------|
| Canada:        | Domestic Substance List (DSL).                                     | Yes                |
| Canada:        | Non-Domestic Substance List (NDSL).                                | No                 |
| Europe:        | Inventory of New and Existing Chemicals (EINECS)                   | Yes                |
| United States: | Toxic Substance Control Act (TSCA)                                 | Yes                |
| Australia:     | Australian Inventory of Chemical Substances (AICS)                 | Yes                |
| New Zealand:   | New Zealand Inventory of Chemicals (NZIoC)                         | Yes                |
| China:         | Inventory of Existing Chemical Substances in China (IECSC)         | Yes                |
| Japan:         | Inventory of Existing and New Chemical Substances (ENCS)           | Yes                |
| Korea:         | Existing Chemicals List (ECL)                                      | Yes                |
| Philippines:   | Philippines Inventory of Chemicals and Chemical Substances (PICCS) | Yes                |

\*"Yes" indicates that all components of this product are in compliance with the inventory requirements administered by the governing country. \*"No" indicates that one or more components of this product are not on the inventory and are not exempt from listing.

#### 15.2 Chemical safety assessment

For this product a chemical safety assessment was not carried out.

### **SECTION 16 - OTHER INFORMATION**

#### Hazardous Material Information System (HMIS)

#### **National Fire Protection Association (NFPA)** Flammability Health \* 1 HMIS & NFPA Hazard Rating Legend Flammability 0 \* = Chronic Health Hazard 2 = MODERATE **Physical Hazard** 0 0 = INSIGNIFICANT 3 = HIGHHealth Instability 1 = SLIGHT 4 = EXTREME Personal Protection B Special Safety Glasses Gloves

#### Full Text of Risk (R) - Phrases Referenced in Section 3.

R22 - Harmful if swallowed.

- R34 Causes burns.
- R37 Irritating to respiratory system.

The information herein is given in good faith and is believed to be accurate and correct; however, no warranty, expressed or implied, is made. Car Kem Products, Inc. assumes no responsibility for personal injury or property damage that may arise from the use of this material since the conditions of handling and use are beyond our control. It is the responsibility of the user to determine the suitability of this information for the adoption of the safety precautions as may be necessary. It is the responsibility of the user to comply with all Federal, State and local laws and regulations regarding use of this product. Vendees or users assume all risks associated with the use of this material. We reserve the right to revise Safety Data Sheets from time to time as new technical information becomes available. The user has the responsibility to contact the company to make sure that the Safety Data Sheet is the latest issue.

Version 2: Change to GHS SDS format Preparation date: 16 April 2014